

SUPERSOLVE CC

Chất tẩy rửa hạng nặng cao cấp cho các bề mặt quan trọng



Supersolve CC là chất làm sạch tiếp xúc bay hơi nhanh, dễ dàng chóng loại bỏ dầu, mỡ, cặn carbon, dư lượng từ các thành phần điện và cơ khí. Hoạt động tẩy dầu mỡ đặc biệt và làm khô nhanh đảm bảo giảm thời gian quá trình bảo dưỡng và sửa chữa ở mức tối thiểu. Tương thích với các thành phần điện, điện tử và vật liệu cách điện.

ƯU ĐIỂM

Không dư lượng

Không nguy hiểm bề mặt thiết bị

Bay hơi nhanh

Ít mùi

ỨNG DỤNG TIÊU BIỂU

- Để làm sạch dụng cụ điện / điện tử, lắp ráp, các thành phần, phụ kiện nối và hệ thống dây điện.

HƯỚNG DẪN SỬ DỤNG

Làm sạch thủ công

1. Tắt và cách ly với nguồn điện trước khi vệ sinh thiết bị điện.
2. Làm mát các bộ phận trước khi dùng.
3. Lắc trước khi dùng.
4. Xịt lên các bộ phận để loại bỏ mọi vết bẩn.
5. Để khô.
6. Đảm bảo các bộ phận điện đã khô hoàn toàn trước khi kết nối lại với nguồn điện.



Tiêu chuẩn trong vệ sinh và bảo trì

SUPERSOLVE CC

Chất tẩy rửa hạng nặng cao cấp cho các bề mặt quan trọng



DỮ LIỆU KỸ THUẬT

MÙI	Ít mùi
ĐỘ TAN	Không tan trong nước
QUY CÁCH ĐÓNG GÓI	300ml bình xịt

THẬN TRỌNG SỬ DỤNG

Bảo quản ở nhiệt độ từ 4 đến 40°C trong khu vực khô ráo, thông thoáng.

AN TOÀN VÀ SỨC KHỎE

Tham khảo Bảng dữ liệu an toàn (có sẵn theo yêu cầu)

GIẤY PHÉP & ĐĂNG KÝ

Rail Cat # 007/007186

Sản phẩm liên quan



QED

Khô nhanh thiết bị điện và tẩy dầu mỡ nhà xưởng



FASTKLEAN

Chất tẩy dầu mỡ mạnh mẽ khô nhanh



LOTOXANE@

Giải pháp đang tin cậy an toàn cho tẩy dầu mỡ chuyên nghiệp



SUPERSOLVE AS

Chất tẩy dầu mỡ dùng trên bề mặt quan trọng



14001:2004
1263



Q 05320



SUPERSOLVE CC

Premium heavy duty contact cleaner for critical surfaces



Supersolve CC is a fast evaporating contact cleaner, designed to rapidly remove and flush away oil, grease, carbon deposits and flux from electrical and mechanical components. Exceptional degreasing action and fast drying ensures that down time during service and repair is kept to a minimum. Compatible with electric and electronic components and insulators.

ADVANTAGES

No residue

Will not damage sensitive equipment

Fast evaporation

Low odour

TYPICAL APPLICATIONS

- For cleaning electrical/electronic instruments, assemblies, components, connectors and wiring

APPLICATION INSTRUCTIONS

Manual cleaning

1. Switch off and isolate from power supply prior to cleaning electrical equipment
2. Allow hot components to cool before application
3. Shake can well
4. Spray onto components to flush away any soiling
5. Allow to air dry
6. Ensure electrical components have dried fully before reconnecting to electrical supply



Setting the Standard in Cleaning & Maintenance

SUPERSOLVE CC

Premium heavy duty contact cleaner for critical surfaces



TECHNICAL DATA

ODOUR	Low
SOLUBILITY	Insoluble in water
PACK SIZE	300ml aerosol

STORAGE PRECAUTIONS

Store at temperatures between 4 and 40°C in a dry, well ventilated area.

HEALTH & SAFETY PRECAUTIONS

Refer to Safety Datasheet (available on request)

ACCREDITATIONS & REGISTRATIONS

Rail Cat # 007/007186

RELATED PRODUCTS



QED

Quick dry electrical & workshop degreaser



FASTKLEAN

Powerful fast drying degreaser



LOTOXANE®

The trusted, safe solution for professional degreasing



SUPERSOLVE AS

Electronic cleaner for critical surfaces



14001:2004
1293



OHSAS
18001
Occupational Health and Safety Management



ISO
9001:2008
Quality Management



Working responsibly

Supporting

THE NATIONAL
FOREST



2007:2015
2007



Decon Solutions Co., LTD

No 62 Road 64, Thanh My Loi Ward, District 2, HCM City, Vietnam

H: 09 0890 1955 F: +84 28 6287 3181 E: info@deconsolutions.com.vn

T: +84 28 6287 3180 - 38 143 585 W: www.deconsolutions.com.vn